

Boom Arm with Stand, Pivot Clamp & Counterweight

Reference: SBX-BOOMARMPIVS



- Telescopic boom arm: 116 to 216 cm
- Stand maximum height: 190 cm
- Counterweight 5kg
- Includes wheels for light stand
- Material: aluminum & steel
- As: O85BS



Product description:

Boom Stand Set includes 2-section boom arm with counterweight, 2-riser aluminum stand with pivoting clamp and stand wheels. All the components can be used individually or assembled together.

A boom arm is ideal for lighting a subject from above, or to create more freedom of action for the photo or videographer. With a boom arm you can hang your studio lighting above your

subject, without it being visible in the picture/video. You also create more freedom by walk under the lighting, for example.

The pivoting clamp is suitable for 30 mm diameter boom arms and features an "L" pull & twist mechanism for increased torque and faster tightening. With the help of the pivoting clamp, the boom arm can be easily adjusted, even when loaded with a lighting fixture.

For greater stability of the boom arm, a red painted iron weight is used as a counter balance. It features a long locking handle that tightens the rubberized grip on the boom arm.

The stand wheels are used to increase the mobility around the studio of the light boom assembly, even when the boom is loaded.

Similar to other brands gobo arms: 085BS Heavy-Duty Boom and Stand.

Package Content:

- 1 x bra telescopic de bra 116-216 cm
- 1 x clem de pivot pentru bra ul de bra
- 1 x Stand de lumin 190 cm
- 1 x Contragreutate 5 kg
- 3 x Ro i de stand

Technical Specifications:

Stands

Stand type:	Baby stand
Mounting	Stud 16mm (5/8") & Receiver 28mm (1-1/8")
Maximum height	190 cm
Minimum height	88 cm
Maximum payload	N/A
Folded length	90 cm
Footprint diameter	100 cm
No of sections	2
Column diameters	25 / 30 mm
Legs diameter	22 mm
Leveling leg	No
Collapsing protection	Spring
Includes boom arm	Yes, 116-216 cm
Material	Aluminum
Color	Black
Weight	9.2 kg