

Double Pro Clamp with "T" Handle

Reference: GCX-DPROCLAMP



- Opens up to 60 mm
- Set of two Pro Clamps (super clamps)
- Provides extra strength support for tubes
- Cammed screw mechanism
- Spigot receiver with secure lock
- Can be used on pipes, truss and flat surface
- Rubber-lined jaws
- As: 038, KCP-720B, LS.038, CC-128



Product description:

Set of two Pro Clamps (Super Clamps) fastened together at fixed right angle to provide extra strength support for tubes or bars.

The clamp can be dismantled to obtain two individual pro-clamps.

A cammed screw mechanism closes and opens the rubber-lined jaws.

It can attach to round surfaces and flat surfaces from 10 mm to 60 mm width.

The baby pin snaps into place with a spring-loaded lock.

Includes saddle triangle wedge that presses into the jaw of any Pro Clamp to enable the clamp to be mounted securely on flat surfaces.

Similar with other brands clamps: 038, KCP-720B / KG702311, LS.038, CC-128

Technical Specifications:

Grip & Mounting

Grip type	Clamp
Mounting	Stud & Receiver 16mm (5/8")
Openings	10-60 mm
Maximum payload	15 kg
Overall size	N/A
Color	Black
Material	Steel alloy
Weight	1 kg