

KIT 3 x TubeLED Ultra Soft Bi-Color

Reference: LLK-TUBELEDUSKIT



- 3 x TubeLED Ultra Soft Bi-Color
- Saber design, compact & lightweight
- Ultra soft light with wide beam & smooth shadows
- Back magnets for easy mounting
- Brackets for connecting the TubeLEDs into triangle shape
- Included touch screen remote with charger
- Rigid transport case with customized interior foam



Product description:

The Cinelight Tube-LED Ultra Soft Bi-Color KIT includes 3 lampheads along with various accessories, all fitted inside a rigid transport case, a befitting solution for travelling photographers and videographers all around.

Saber design resembling to a 2FT fluorescent tube

The Cinelight Tube-LED Ultra Soft is a highly portable LED light designed for photo and video applications. The fixture consists of an array of SMD LED's under a dense diffusion cover which

output an ultra soft light with wide beam and smooth shadows. The fixture design resembles the look of a common-classic 2FT / 60cm fluorescent tube lamp making it familiar for all gaffers. Being lightweight and compact makes it suitable for confined spaces where heavy lights along with matching stands and accessories are not the best option to use.

Continuous adjustable brightness and color temperature

The Tube-LED Ultra Soft is fully dimmable, having adjustable brightness from 10% to 100% using the dedicated knob on the back. Also, the color temperature can be continuously adjusted from 3000K (warm tungsten) to 5600K (cold daylight). Due to the color temperature range, the Tube-LED can be used in mixed setups that include various lighting sources like fluorescent, tungsten, HMI, even flash lights.

No compromise for having a bi-color function!: thanks' to the new 2in1 SMD chip design the Bi-Color fixtures now output the same amount of light as a daylight only version.

Lightweight aluminum housing with built-in dense diffusion filter

The Tube-LED Ultra Soft comes with a built-in dense diffusion filter into a lightweight but solid aluminum housing. The fixture can be placed very close to the subject, wrapping it around in a soft light, with almost no heat generation. The included back magnets help to easily position the Tube-LED on metal surfaces, without the hassle of using mounting hardware.

Built-in 24Wh internal Li-Ion battery

The Tube-LED is powered via an internal 24Wh battery that features the latest Lithium-Ion technology and can be charged anywhere using the universal battery charger with 3 cable connectors for simultaneously charging all fixtures. The run time when fully charged can reach over 90 minutes at full brightness.

Inter linked design via connecting brackets

The Tube-LEDs can be joined head-to-head using the included vertical connector brackets in order to form a single long light source (120 cm length using one bracket, or a 180 cm length using two brackets). These accessories are very useful when there is a need for a wider Tube-LED like in full body photography.

Also, the kit includes 3 connector brackets to mount the Tube-LEDs into a triangle shaped lighting fixture that can be mounted overhead and secured via the included secure wires or mounted on top of a light stand. The triangle shape of the fixture is great for an eye-light effect.

Included radio remote controller with large display

Brightness and color temperature values can be adjusted from up to 50m distance using the optional 2.4Gh wireless remote. The remote controller features a large touch display for convenient operation. Remote controlling is available for one or more Tube-LED fixtures at once configured on any of the four assignable channels. This feature is very useful when an entire set needs to be adjusted at once or there is a need to turn off all the panels with a single command. With the same remote other fixtures like CineFLEX LED mats can be controlled from distance.

Included rigid transport case

The Tube-LED Ultra Soft Bi-Color KIT includes a rigid transport case with customized foam interior that holds and protects the lighting fixtures along with the included accessories, for convenient handling and storing the kit's components.

Key Features:

- ultra-soft light output
- saber design of the LED light
- variable color temperature: 3000K -5600K with no light loss
- dimmable light intensity 100%-10%
- 24Wh internal Li-Ion battery
- aluminum & PVC housing with included back magnets
- multiple ¼" mounting threads for easy gripping
- 2 connector brackets to create a long, 120/180 cm Tube-LED
- 3 connector brackets to create a triangle shaped fixture
- remote controller with large touch screen display
- rigid transport case with customized foam interior

Product features:

Rated power: 16 watts

Beam type: flood

LED type: Bi-Color

Voltage input: 12V

Color temperature: 3200K-5600K

CRI rating: 97

TLCI rating: 98

Beam angle: 60°

Dimming range: 100%-10%
Battery mount: N/A
Cooling system: Passive
Power source: External, AC 100-240V 50 / 60 HZ
Power connector type: CEE 7/7
Local functions control: Analog
DMX control: No
DMX connectors type: N/A
WIFI control : No
Remote control : Yes
Yoke mount: N/A
Housing material: Aluminum
Housing color: Silver
Lamp head weight: 0.95 kg
Lamp head dimensions: 60 x 6 x 6 cm
No of heads: 3
KIT total weight: 5.9 kg
KIT case size: 62 x 43 x 19 cm
KIT include stands?: No
KIT heads type: Flood lights
KIT total power: 48 watts