

Spring Clamp with Swivel Head & Pin

Reference: GCX-CLSW16MMPINR



- Maximum surface thickness: 4 cm
- Spring clamp with swivel head & 1/4" screw
- 5/8" baby stud with 3/8" female thread
- 16 mm spigot receiver
- Clamp jaws with rubber ends
- Size: 16 x 12 x 10 cm | 0.3 kg



Product description:

This multi-purpose spring clamp with metal swivel head and 1/4" screw is designed for mounting small cameras, lighting fixtures or accessories equipped with 1/4" threads.

Multiple attachment options are available using the 5/8" baby stud with 3/8" female thread or the 16 mm spigot receiver.

To easy attach the clamp on any surface up to 40 mm thick, simply use the spring-tension

clamp with anti-slip rubber protection.

Full metal made, including the swivel head, for a long lasting intensive use.

Maximum recommended opening of the clamp is 4 cm.

- Clamp dimensions: 16 x 12 x 10 cm
- Weight: 335 g

Technical Specifications:

Grip & Mounting

Grip type	Clamp
Mounting	Stud & Receiver 16 mm / 5/8" Thread & 1/4" Screw
Openings	0-40 mm
Max opening	40 mm
Overall size	16 x 12 x 10 cm
Color	Black
Material	Steel alloy
Weight	335 g