

# Light Stand 260 cm

Reference: SSB-BSTAND260CM



- Payload: 4 Kg
- Max height: 260 cm | Min height: 95 cm
- Air-cushioned shock absorption
- 16 mm dual mounting spigot (5/8" stud)
- Material: aluminum



## Product description:

Compact two risers light stand designed to support small lighting fixtures equipped with 5/8" (16 mm) receiver.

Air-cushioned collapsing protection ensures a safe operation when slowly lowering the gear during height adjustments.

The stand rises to a maximum height of 260 cm, folds down to 91 cm and can support lighting fixtures or other studio accessories up to 4 kg weight.

Comes with standard 5/8" (16mm) dual mounting spigot with 1/4" top screw.

The black anodized finish of the stand eliminates any unwanted reflections, making it suitable for studio applications.

\*NB: The maximum payload is rated for the stand columns half-extended.

## Technical Specifications:

## Stands

Stand type:	Baby stand
Mounting	Stud 16mm (5/8") with 1/4" top screw
Maximum height	260 cm
Minimum height	95 cm
Maximum payload	4 kg
Folded length	91 cm
Footprint diameter	105 cm
No of sections	3
Column diameters	22 / 25 / 30 mm
Collapsing protection	Air cushioned
Material	Aluminum
Color	Black
Weight	1.8 kg