

# Studio LED Fresnel 400W PO - 3200K


Reference: LLS-SF400W32PO



- Power: 400W
- Light output: 265'000 lx (60°) @ 1m
- CCT: 3200K | CRI / TLCI: 98
- Adjustable beam angle: 12° to 65°
- Die-cast full aluminum housing
- Local, DMX & W-DMX512 control
- Pole operated studio Fresnel light



STUDIO LED FRESNEL 400W P.O. - 3200K



## Product description:

### Key features:

- 2 axis pole operated studio LED Fresnel light
- pole operated spot-flood selector
- large diameter Fresnel lens: 250mm
- narrow spot (12°) to wide flood (65°) adjustable beam angle

- natural color rendering: CRI 97.6 and TLCI 98.2
- die-cast aluminum housing ensures cooling efficiency for long term operation
- 4 dimming curves: linear, "S" curve, Square, PL-curve
- DMX Map: 8 bit & 16 bit
- Wired DMX XLR5P and Sweden W-DMX (wireless DMX) built in
- PowerCon IN / Out connectors
- Large color TFT screen
- Head size (WxHxD): 43 x 40 x 41 cm

#### Package Content:

- 1 x Studio LED Fresnel 400W PO - 3200K
- 1 x 2 axis pole operated yoke
- 1 x 4 leaf metal barndoors
- 1 x Power cable 5m

## Technical Specifications:

## LED Spotlight - Fixture

Rated power	400 watts
LED type	Tungsten only
Beam angle	12°-65°
Beam type	spot-flood
Photometrics spot mode	1m: 260000 lx   2m: 62500 lx   3m: 31000 lx
Photometrics flood mode	1m: 61000 lx   2m: 16500 lx   3m: 7800 lx
Color temperature	3200K
CRI rating	98
TLCI rating	98
Dimming range	100%-0%
Cooling system	Active
Display type	Complex - color

## LED Spotlights - Controls

Spot-Flood selector type	Mechanical - Pole Operated
Local functions control	Analog
DMX control	Yes
DMX connectors type	XLR-5P
Bluetooth / WIFI APP control	Yes

## LED Spotlight - Powering

Rated power	400 watts
Voltage input	100-240V 50 / 60 Hz
Power source	Internal, AC 100-240V 50 / 60 Hz
Battery mount	N/A
Plug in connector type	PowerCon
Power cord total length	5.0 m
Power connector type	CEE 7/4 - Schuko

## LED Spotlights - Physical

Lens type	Fresnel
Lens size	250 mm
Barndoors slot size	345 mm
Filter slot size	335 mm
Yoke mount	Spigot 28mm pin
Housing color	Gray & Orange
Housing material	Aluminum
Lamp head dimensions	43 x 40 x 41 cm
Lamp head weight	15 kg